

Printing date 01/19/2018 Reviewed on 01/19/2018

1 Identification

- · This product is considered an article. This Safety Data Sheet is written based on the encapsulated substance or mixture in this article.
- · Product identifier: Gas purifying filter
- · Trade name: CRS ZPureTM CO2 Filter and CRS CO2 Filter
- · Part numbers:

202212-B 202212RD-B-QC 202212-SS-QC 202213L-SS-QC 202213R-SS-QC 202RH	2L-B-QC
202212-B-QC 202212RD-SS 202212XL-B 202213M-SS 202213RXL-B 202RH	2L-SS-QC
202212D-B 202212RD-SS-QC 202212XL-B-QC 202213M-SS-QC 202213RXL-B-QC 202RH	2-SS-QC
202212D-B-QC 202212RL-B 202212XL-SS 202213R-B 202213RXL-SS 202RH	2XL-B-QC
202212D-SS 202212RL-B-QC 202212XL-SS-QC 202213R-B-QC 202213RXL-SS-QC 202RH	2XL-SS-QC
202212D-SS-QC 202212RL-SS 202213-B 202213RD-B 202213-SS 20235	0-B
202212L-B 202212RL-SS-QC 202213-B-QC 202213RD-B-QC 202213-SS-QC 20235	0-SS
202212L-B-QC 202212R-SS 202213D-B 202213RD-SS 202213XL-B 20235	2-B
202212L-SS 202212R-SS-QC 202213D-B-QC 202213RD-SS-QC 202213XL-B-QC 20235	2-SS
202212L-SS-QC 202212RXL-B 202213D-SS-QC 202213RL-B 202213XL-SS 99109	8
202212M-V 202212RXL-B-QC 202213D-SS-QC 202213RL-B-QC 202213XL-SS-QC	
202212R-B 202212RXL-SS 202213L-B 202213RL-SS 202RH2-B-QC	
202212R-B-QC 202212RXL-SS-QC 202213L-B-QC 202213RL-SS-QC 202RH2D-B-QC	
202212RD-B 202212-SS 202213L-SS-QC 202213R-SS 202RH2D-SS-QC	

- · **SDS** number: 991098
- · Application of the substance / the mixture Purifying gas.
- Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

Chromatography Research Supplies, Inc.

2601 Technology Drive Louisville, KY 40299 USA sds@chromres.com

- · Information department: Product safety department
- · Emergency telephone number:

From U.S.A., Canada, Puerto Rico and U.S. Virgin Islands

+1-502-491-6300 8 am - 5 pm East Coast U.S. Time

+1-800-255-3924 ChemTel (24 Hours) Contract Number MIS3660977

From Outside the U.S.A., Canada, Puerto Rico or U.S. Virgin Islands

+01-813-248-0585 ChemTel (24 Hours)

Additional In-Country numbers:

China: 400-120-0751; Brazil: 0-800-591-6042; India: 000-800-100-4086; Mexico: 01-800-099-0731.

2 Hazard(s) identification

· Classification of the substance or mixture



Skin Corr. 1A H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage.

- · Label elements
- GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).

(Contd. on page 2)

(Contd. of page 1)

Safety Data Sheet acc. to OSHA HCS

Printing date 01/19/2018 Reviewed on 01/19/2018

Trade name: CRS ZPureTM CO2 Filter and CRS CO2 Filter

· Hazard pictograms



- · Signal word Danger
- · Hazard-determining components of labeling:

Sodium hydroxide

· Hazard statements

H314 Causes severe skin burns and eve damage.

Precautionary statements

Do not breathe dusts or mists.

Wash thoroughly after handling.

Wear protective gloves/protective clothing/eye protection/face protection.

If swallowed: Rinse mouth. Do NOT induce vomiting.

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Immediately call a poison center/doctor.

Specific treatment (see on this label).

Wash contaminated clothing before reuse.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

- Classification system:
- · NFPA ratings (scale 0 4)



Health = 3Fire = 0

Reactivity = 0

· HMIS-ratings (scale 0 - 4)



3 Health = 3

0 Fire = 0

- · Other hazards
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.

3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · Description: Mixture of the substances listed below with nonhazardous additions.

Dangerous components:

1310-73-2 Sodium hydroxide

🔗 Skin Corr. 1A, H314

75-100%

(Contd. on page 3)

Printing date 01/19/2018 Reviewed on 01/19/2018

Trade name: CRS ZPureTM CO2 Filter and CRS CO2 Filter

(Contd. of page 2)

· Additional Components

1318-00-9 Non-fibrous silicate

5-15%

4 First-aid measures

- · Description of first aid measures
- · General information: Immediately remove any clothing soiled by the product.
- · After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- After swallowing: Drink copious amounts of water and provide fresh air. Immediately call a doctor.
- Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

- Extinguishing media
- · Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- · Special hazards arising from the substance or mixture During heating or in case of fire poisonous gases are produced.
- · Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Mount respiratory protective device.

Wear protective equipment. Keep unprotected persons away.

- · Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- · Methods and material for containment and cleaning up:

Use neutralizing agent.

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

- · Handling:
- Precautions for safe handling
- Do not open cartridge.

Thorough dedusting.

Ensure good ventilation/exhaustion at the workplace.

• Information about protection against explosions and fires: Keep respiratory protective device available.

(Contd. on page 4)

Printing date 01/19/2018 Reviewed on 01/19/2018

Trade name: CRS ZPureTM CO2 Filter and CRS CO2 Filter

(Contd. of page 3)

- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep receptacle tightly sealed.
- · Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · Control parameters

· Components with limit values that require monitoring at the workplace:

1310-73-2 Sodium hydroxide

PEL Long-term value: 2 mg/m³

REL Ceiling limit value: 2 mg/m³

TLV Ceiling limit value: 2 mg/m³

- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

· Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

(Contd. on page 5)


(Contd. of page 4)

Safety Data Sheet acc. to OSHA HCS

Printing date 01/19/2018 Reviewed on 01/19/2018

Trade name: CRS ZPureTM CO2 Filter and CRS CO2 Filter

· Eye protection:



9 Physical and chemical properties · Information on basic physical and chemical properties · General Information · Appearance: Form: Solid Color: According to product specification · Odor: Characteristic · Odor threshold: Not determined. · pH-value: Not applicable. · Change in condition Melting point/Melting range: Undetermined. >999 °C (>1,830.2 °F) Boiling point/Boiling range: · Flash point: Not applicable. Not determined. · Flammability (solid, gaseous): Ignition temperature: Not determined. Decomposition temperature: Product is not selfigniting. · Auto igniting: Danger of explosion: Product does not present an explosion hazard. · Explosion limits: Not determined. Lower: Upper: Not determined. · Vapor pressure: Not applicable. · Density: Not determined. · Relative density Not determined. · Vapor density Not applicable. · Evaporation rate Not applicable. · Solubility in / Miscibility with Water: Partly soluble. · Partition coefficient (n-octanol/water): Not determined. · Viscosity: Dynamic: Not applicable. Kinematic: Not applicable. · Solvent content: 0.0 % Organic solvents: $0.0 \, g/l \, / \, 0.00 \, lb/gl$ **VOC** content: Solids content: 100.0 %

(Contd. on page 6)

Printing date 01/19/2018 Reviewed on 01/19/2018

Trade name: CRS ZPureTM CO2 Filter and CRS CO2 Filter

(Contd. of page 5)

· Other information

No further relevant information available.

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- · LD/LC50 values that are relevant for classification:

1310-73-2 Sodium hydroxide

Oral | LD50 | 2000 mg/kg (rat)

- · Primary irritant effect:
- · on the skin: Strong caustic effect on skin and mucous membranes.
- on the eye:

Strong caustic effect.

Strong irritant with the danger of severe eye injury.

- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

Corrosive

Irritant

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

- · Carcinogenic categories
- · IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.

(Contd. on page 7)

Printing date 01/19/2018 Reviewed on 01/19/2018

Trade name: CRS ZPureTM CO2 Filter and CRS CO2 Filter

· Additional ecological information:

(Contd. of page 6)

- · General notes:
- Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Must not reach bodies of water or drainage ditch undiluted or unneutralized.

- Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

Transport information	
UN-Number DOT, ADR, IMDG, IATA	UN1823
UN proper shipping name DOT ADR	Sodium hydroxide, solid mixture 1823 Sodium hydroxide, solid mixture
IMDG, IATA	SODIUM HYDROXIDE, SOLID mixture
Transport hazard class(es)	
DOT	
CORROSIVE	
Class	8 Corrosive substances
Label	8
ADR, IMDG, IATA	
Class	8 Corrosive substances
Label	8
Packing group DOT, ADR, IMDG, IATA	II
Environmental hazards:	Not applicable.
Special precautions for user	Warning: Corrosive substances
	(Contd. on p

Printing date 01/19/2018 Reviewed on 01/19/2018

Trade name: CRS ZPureTM CO2 Filter and CRS CO2 Filter

	(Contd. of pag
Danger code (Kemler):	80
EMS Number:	F- A , S - B
Segregation groups	Alkalis
Stowage Category	A
Segregation Code	SG35 Stow "separated from" acids.
Transport in bulk according to Annex II of M	IARPOL73/78
and the IBC Code	Not applicable.
Transport/Additional information:	
DOT	
Quantity limitations	On passenger aircraft/rail: 15 kg
	On cargo aircraft only: 50 kg
ADR	
Excepted quantities (EQ)	Code: E2
	Maximum net quantity per inner packaging: 30 g
	Maximum net quantity per outer packaging: 500 g
IMDG	
Limited quantities (LQ)	1 kg
Excepted quantities (EQ)	Code: E2
	Maximum net quantity per inner packaging: 30 g
	Maximum net quantity per outer packaging: 500 g
IATA	
Remarks:	Quantity limitations
	On passenger aircraft: 15 kg
	On cargo aircraft only: 50 kg
UN "Model Regulation":	UN 1823 SODIUM HYDROXIDE, SOLID MIXTURE, 8, II

15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Sara
- Section 355 (extremely hazardous substances):

None of the ingredients is listed.

Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

· TSCA (Toxic Substances Control Act):

1310-73-2 Sodium hydroxide

- Proposition 65
- · Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

(Contd. on page 9)

Printing date 01/19/2018 Reviewed on 01/19/2018

Trade name: CRS ZPureTM CO2 Filter and CRS CO2 Filter

(Contd. of page 8)

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

· Carcinogenic categories

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

· TLV (Threshold Limit Value established by ACGIH)

None of the ingredients is listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

- · GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms



GHS05

- · Signal word Danger
- · Hazard-determining components of labeling:

Sodium hydroxide

- · Hazard statements
- H314 Causes severe skin burns and eye damage.
- · Precautionary statements

Do not breathe dusts or mists.

Wash thoroughly after handling.

Wear protective gloves/protective clothing/eye protection/face protection.

If swallowed: Rinse mouth. Do NOT induce vomiting.

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Immediately call a poison center/doctor.

Specific treatment (see on this label).

Wash contaminated clothing before reuse.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Product safety department
- · Contact: Product Safety Department
- · Date of preparation / last revision 01/19/2018 / -
- · Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation IATA: International Air Transport Association

(Contd. on page 10)

Printing date 01/19/2018 Reviewed on 01/19/2018

Trade name: CRS ZPureTM CO2 Filter and CRS CO2 Filter

(Contd. of page 9)

ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit

Skin Corr. 1A: Skin corrosion/irritation – Category 1A Eye Dam. 1: Serious eye damage/eye irritation – Category 1

* Data compared to the previous version altered.